

FOI REF: 25/047

14th February 2025

Eastbourne District General Hospital

Kings Drive Eastbourne East Sussex BN21 2UD

Tel: 0300 131 4500 Website: www.esht.nhs.uk

FREEDOM OF INFORMATION ACT

I am responding to your request for information under the Freedom of Information Act. The answers to your specific questions are as follows:

1. Since January 1, 2020, how many incidents have been reported to your Trust involving a wrong implant or prosthesis?

For each incident, please provide the month, year and the implant or prosthesis involved in the procedure. In addition, please confirm the total number of cases reported between January 1, 2020 and December 31, 2024.

1 incident reported during the period requested.

December 2023 – shoulder replacement.

2. How many incidents fell under the definition of a serious incident, in line with the Patient Safety Incident Response Framework (or, prior to that, the Serious Incident Framework)? Please state which cases met this definition.

None.

3. How many incidents fell under the definition of a Never Event? Please state which cases met this definition.

None.

4. How many incidents led to serious, moderate, or slight harm to the patient?

Severity 1 None/Near Miss.

5. What were the causes of implant/prosthesis incidents?

Surgeon used a different size as appropriate size required was not available. Patient was cancelled once, and the operation was done to avoid another cancellation. If I can be of any further assistance, please do not hesitate to contact me.

Should you be dissatisfied with the Trust's response to your request, you have the right to request an internal review. Please write to the Freedom of Information Department (<u>esh-tr.foi@nhs.net</u>), quoting the above reference, within 40 working days. The Trust is not obliged to accept an internal review after this date.

Should you still be dissatisfied with your FOI request, you have the right of complaint to the Information Commissioner at the following address:

The Information Commissioner's Office Wycliffe House Water Lane Wilmslow Cheshire SK9 5AF

Telephone: 0303 123 1113

Yours sincerely

Freedom of Information Department esh-tr.foi@nhs.net