

FOI REF: 25/913

Eastbourne District General Hospital

Kings Drive  
Eastbourne  
East Sussex  
BN21 2UD

16<sup>th</sup> January 2026

Tel: 0300 131 4500  
Website: [www.esht.nhs.uk](http://www.esht.nhs.uk)

### FREEDOM OF INFORMATION ACT

I am responding to your request for information under the Freedom of Information Act. The answers to your specific questions are as follows:

**I would like to submit an FOI request for the number of vials used and patients treated for the following products (see table below) at your trust used in 2025 (total January to December), broken down by brand and size, if possible. If the full-year data is not yet available, you can inform me about the currently available data.**

**If not all products are available at your institution, you can just fill in the data that you have access to.**

Product	Manufacturer	Size (Units/mg)	Number of vials used (Jan 19- Dec 2025)	Number of patients treated (Jan 19-Dec 2025)
<b>Prothrombin Complex Concentrate (PCC)</b>				
Beriplex	CSL Behring	500IU 20ml	57	45
		1000IU 40ml	182	101
Octaplex	Octapharma	500IU 20ml	0	0
		1000IU 40ml	0	0
Prothromplex	Takeda	600IU 17ml	0	0
FEIBA	Takeda	200IU 10ml	0	0
		500IU 20ml	0	0
		1000IU 40ml	94	3
Others (if any please specify)		(if any please specify)	-	-

Product	Manufacturer	Size (Units/mg)	Number of vials used (Jan 19- Dec 2025)	Number of patients treated (Jan 19-Dec 2025)
<b>Reversal Agents</b>				
Ondexxya (andexanet alfa)	Astrazeneca	5x 200 mg	66	9
Praxbind (Idaracizumab)	Boehringer Ingelheim	2x 2.5 g	5	1
<b>Fibrinogen Concentrate (FC)</b>				
RiaSTAP	CSL Behring	1.0g	27	9
FibCLOT	LFB	1.5g	0	0
Fibryga	Octapharma	1.0g	0	0
Others (if any please specify)		(if any please specify)	0	0
<b>Fresh Frozen Plasma (FFP)</b>				
Fresh Frozen Plasma	Blood banks		174	64
Octaplas	Octapharma		0	0
<b>Cryoprecipitate</b>				
Cryoprecipitate	Blood banks		79	28
<b>Labile Blood Products</b>				
Whole blood	Blood banks		0	0
Red blood cells	Blood banks		7370	2045
Platelets	Blood banks		1120	198
<b>Factor XIII</b>				
Fibrogammin	CSL Behring	250IU 4ml	0	0
		1250IU 20ml	0	0

If I can be of any further assistance, please do not hesitate to contact me.

Should you be dissatisfied with the Trust's response to your request, you have the right to request an internal review. Please write to the Freedom of Information Department ([esh-tr.foi@nhs.net](mailto:esh-tr.foi@nhs.net)), quoting the above reference, within 40 working days. The Trust is not obliged to accept an internal review after this date.

Should you still be dissatisfied with your FOI request, you have the right of complaint to the Information Commissioner at the following address:

The Information Commissioner's Office  
Wycliffe House  
Water Lane  
Wilmslow  
Cheshire SK9 5AF

Telephone: 0303 123 1113

Yours sincerely

Freedom of Information Department  
[esh-tr.foi@nhs.net](mailto:esh-tr.foi@nhs.net)